Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

Issue date: 21/02/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

: SNS Brush Saver, SenShine Brush Saver Trade name

Product code : NAII -0009

: Consumer line: BRUSH CLEANER Synonyms

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

: Consumer use Main use category Use of the substance/mixture Solvent Use of the substance/mixture : Cosmetics Function or use category : Cosmetics

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Signature Nail Systems LLC 4500 Seaboard Rd, Ste. C FL 32808 Orlando USA

T +1 888-445-2786

1.4. Emergency telephone number

Emergency number : T +1 888-445-2786 / Call the local or national emergency service

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225 H319 Serious eye damage/eye irritation, Category 2 Specific target organ toxicity - Single exposure, Category 3, H336

Narcosis

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. May cause drowsiness or dizziness. Causes serious eye irritation.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

GHS07

Signal word (CLP) : Danger

: H225 - Highly flammable liquid and vapour. Hazard statements (CLP)

H319 - Causes serious eye irritation.

H336 - May cause drowsiness or dizziness.

Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read carefully and follow all instructions.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P233 - Keep container tightly closed.

P241 - Use explosion-proof electrical/ventilating/lighting equipment.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--------------------|----------|---|
| Acetone substance with a Community workplace exposure limit | CAS-No.: 67-64-1 | 75 - 100 | Not classified |

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

09/02/2024 (Issue date) EN (English) 2/13

Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

5.3. Advice for firefighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information

Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

Hygiene measures

: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Ground/bond container and receiving equipment.

Storage conditions

: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Storage class (LGK, TRGS 510)

Joint storage table

: LGK 3 - Flammable liquids

| : | LGK 1 | LGK 2A | LGK 2B | LGK 3 | LGK 4.1A |
|---|----------|---------|----------|----------|-----------|
| | LGK 4.1B | LGK 4.2 | LGK 4.3 | LGK 5.1A | LGK 5.1B |
| | LGK 5.1C | LGK 5.2 | LGK 6.1A | LGK 6.1B | LGK 6.1C |
| | LGK 6.1D | LGK 6.2 | LGK 7 | LGK 8A | LGK 8B |
| | LGK 10 | LGK 11 | LGK 12 | LGK 13 | LGK 10-13 |

Joint storage not permitted for

: LGK 1, LGK 2A, LGK 4.1A, LGK 4.1B, LGK 4.2, LGK 4.3, LGK 5.1A, LGK 5.1C, LGK 5.2, LGK 6.1B, LGK 6.2, LGK 7

Joint storage with restrictions permitted for

Joint storage permitted for

: LGK 5.1B, LGK 6.1D, LGK 11, LGK 10-13

: LGK 2B, LGK 3, LGK 6.1A, LGK 6.1C, LGK 8A, LGK 8B, LGK 10, LGK 12, LGK 13

09/02/2024 (Issue date) EN (English) 3/13

Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| SNS Brush Saver, SenShine Brush Saver | |
|--|---|
| EU - Indicative Occupational Exposure Limit (IOEL | |
| Local name | Acetone |
| IOEL TWA | 1210 mg/m³ |
| | 500 ppm |
| Regulatory reference | COMMISSION DIRECTIVE 2000/39/EC |
| France - Occupational Exposure Limits | |
| Local name | Acétone |
| VME (OEL TWA) | 1210 mg/m ³ |
| | 500 ppm |
| VLE (OEL C/STEL) | 2420 mg/m³ |
| | 1000 ppm |
| Remark | Valeurs règlementaires contraignantes |
| Regulatory reference | Article R4412-149 du Code du travail (réf.: INRS ED 6443, 2022; Outil65; Décret n° 2019-1487; Décret n° 2020-1546; Décret n° 2021-434; Décret n° 2021-1849) |
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | Acetone |
| ACGIH OEL TWA | 250 ppm |
| ACGIH OEL STEL | 500 ppm |
| Remark (ACGIH) | TLV® Basis: URT & eye irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI |
| Regulatory reference | ACGIH 2024 |
| USA - ACGIH - Biological Exposure Indices | |
| Local name | Acetone |
| BEI | 25 mg/l Parameter: Acetone - Medium: urine - Sampling time: End of shift - Notations: Ns |
| Regulatory reference | ACGIH 2024 |
| Acetone (67-64-1) | |
| EU - Indicative Occupational Exposure Limit (IOEL) | |
| Local name | Safe Work Australia - Workplace Exposure Standards For Airborn Contaminant |
| IOEL TWA | 1185 mg/m³ |
| | 500 ppm |
| IOEL STEL | 2375 mg/m³ |
| | 1000 ppm |

Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Blue.
Molecular mass : 58,08 g/mol
Odour : characteristic.
Odour threshold : Not available
Melting point : -95 °C
Freezing point : Not available

Boiling point : 5

Flammability : Highly flammable liquid and vapour.

Lower explosion limit : 2,

Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

: 0,792

Upper explosion limit : 13 Flash point : -18

Auto-ignition temperature : Not available : Not available Decomposition temperature рΗ : Not available : Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) Vapour pressure : 24,7 mm Hg Vapour pressure at 50°C : Not available Density : Not available Relative density : 2 (gas)

Particle characteristics : Not applicable

9.2. Other information

Relative vapour density at 20°C

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1. Acute toxicity

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| Acetone (67-64-1) | |
|---------------------------------|---------------------------|
| LD50 oral rat | 5800 mg/kg Source: ECHA |
| LD50 dermal rabbit | > 7400 mg/kg Source: ECHA |
| LC50 Inhalation - Rat (Vapours) | 76 mg/l Source: ECHA |

Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

11 1 2 Skin corrosion/irritation

Skin corrosion/irritation : Not classified

Acetone (67-64-1)

рΗ 5 Source: ECHA

11.1.3. Serious eye damage/irritation

Serious eye damage/irritation : Causes serious eye irritation.

Acetone (67-64-1)

5 Source: ECHA рΗ

11.1.4. Respiratory or skin sensitisation

: Not classified Respiratory or skin sensitisation

11.1.5. Germ cell mutagenicity

Germ cell mutagenicity : Not classified

11.1.6. Carcinogenicity

: Not classified Carcinogenicity

11.1.7. Reproductive toxicity

: Not classified Reproductive toxicity

11.1.8. STOT-single exposure

STOT-single exposure : May cause drowsiness or dizziness.

11.1.9. STOT-repeated exposure

STOT-repeated exposure : Not classified

11.1.10. Aspiration hazard

Aspiration hazard Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general The product is not considered harmful to aquatic organisms nor to cause long-term

adverse effects in the environment.

Hazardous to the aquatic environment, short-term : Not classified

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

Not rapidly degradable

| Acetone (67-64-1) | |
|-------------------|--|
| | |

LC50 - Fish [1] 5540 mg/l Source: ECHA

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

| 4-1) |
|------|
| |

Partition coefficient n-octanol/water (Log Pow) -0.24 Source: ICSC

Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods Additional information HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Flammable vapours may accumulate in the container.
- : HP3 "Flammable:"
- flammable liquid waste: liquid waste having a flash point below 60 $^{\circ}$ C or waste gas oil, diesel and light heating oils having a flash point > 55 $^{\circ}$ C and \leq 75 $^{\circ}$ C;
- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
- flammable gaseous waste: gaseous waste which is flammable in air at 20 $^{\circ}$ C and a standard pressure of 101.3 kPa;
- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|---|--|---|--|--|
| 14.1. UN number or ID r | number | | | |
| UN 1993 | UN 1993 UN 1993 UN 1993 | | UN 1993 | |
| 14.2. UN proper shippin | g name | | | |
| FLAMMABLE LIQUID, N.O.S. (Acetone) | FLAMMABLE LIQUID, N.O.S. (Acetone) | Flammable liquid, n.o.s. (Acetone) | FLAMMABLE LIQUID, N.O.S. (Acetone) | FLAMMABLE LIQUID, N.O.S. (Acetone) |
| Transport document descri | ption | | | |
| UN 1993 FLAMMABLE LIQUID, N.O.S. (Acetone), 3, III, (D/E) | UN 1993 FLAMMABLE LIQUID, N.O.S. (Acetone), 3, III | UN 1993 Flammable liquid, n.o.s. (Acetone), 3, III | UN 1993 FLAMMABLE LIQUID, N.O.S. (Acetone), 3, III | UN 1993 FLAMMABLE LIQUID, N.O.S. (Acetone), 3, III |
| 14.3. Transport hazard | class(es) | | 1 | |
| 3 | 3 | 3 | 3 | 3 |
| 3 | 3 | 3 | 3 | 3 |

Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

| ADR | IMDG | IATA | ADN | RID |
|-----------------------------------|--|-----------------------------------|-----------------------------------|-----------------------------------|
| 14.4. Packing group | | | | |
| III | III | III | III | III |
| 14.5. Environmental haz | zards | | | |
| Dangerous for the environment: No | Dangerous for the environment: No Marine pollutant: No | Dangerous for the environment: No | Dangerous for the environment: No | Dangerous for the environment: No |
| No supplementary informati | on available | | | |

14.6. Special precautions for user

Overland transport

Classification code (ADR): F1Special provisions (ADR): 274, 601Limited quantities (ADR): 5lExcepted quantities (ADR): E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T4

(ADR)

Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Operation (ADR) : S2
Hazard identification number (Kemler No.) : 30

Orange plates :

30 1993

Tunnel restriction code (ADR) : D/E EAC code : •3Y

Transport by sea

Special provisions (IMDG) : 223, 274, 955

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : LP01, P001 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1, TP29 EmS-No. (Fire) : F-E EmS-No. (Spillage) : S-E Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y344 : 10L PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) : 355 PCA max net quantity (IATA) : 60L CAO packing instructions (IATA) : 366 : 220L CAO max net quantity (IATA) Special provisions (IATA) : A3 ERG code (IATA) : 3L

Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

Inland waterway transport

Classification code (ADN) : F1 Special provisions (ADN) : 274, 601 Limited quantities (ADN) : 5 L : E1 Excepted quantities (ADN) Carriage permitted (ADN) : T : PP, EX, A Equipment required (ADN) : VE01 Ventilation (ADN) Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : F1
Special provisions (RID) : 274, 601
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19

Portable tank and bulk container instructions (RID) : T4

Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 3
Special provisions for carriage - Packages (RID) : W12
Colis express (express parcels) (RID) : CE4
Hazard identification number (RID) : 30

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

ANNEX II REPORTABLE EXPLOSIVES PRECURSORS

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported within 24 hours.

Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

| Name | CAS-No. | 0-111-111-1 | Combined Nomenclature code for mixture without constituents which would determine classification under another CN code |
|---------|---------|-------------|--|
| Acetone | 67-64-1 | 2914 11 00 | ex 3824 99 92 |

Please see https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/protection/legislation-chemicals-used-home-made-explosives_en

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

| Name | CN designation | CAS-No. | CN code | Category | Threshold | Annex |
|---------|-------------------|---------|------------|------------|-----------|---------|
| Acetone | | 67-64-1 | 2914 11 00 | Category 3 | | Annex I |

15.1.2. National regulations

France

| Occupational diseases | |
|-----------------------|---|
| Code | Description |
| RG 84 | Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide |

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG).

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BlmSchV) : Is not subject to the Hazardous Incident Ordinance (12. BlmSchV)

Netherlands

ABM category : B(4) - low hazard for aquatic organisms SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen - Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen - Borstvoeding : None of the components are listed : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Switzerland

Storage class (LK) : LK 3 - Flammable liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Abbreviations and acro | onyms: |
|------------------------|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |

Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

| Abbreviations and acronyms: | | |
|-----------------------------|---|--|
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road | |
| ATE | Acute Toxicity Estimate | |
| BCF | Bioconcentration factor | |
| BLV | Biological limit value | |
| BOD | Biochemical oxygen demand (BOD) | |
| COD | Chemical oxygen demand (COD) | |
| DMEL | Derived Minimal Effect level | |
| DNEL | Derived-No Effect Level | |
| EC-No. | European Community number | |
| EC50 | Median effective concentration | |
| EN | European Standard | |
| IARC | International Agency for Research on Cancer | |
| IATA | International Air Transport Association | |
| IMDG | International Maritime Dangerous Goods | |
| LC50 | Median lethal concentration | |
| LD50 | Median lethal dose | |
| LOAEL | Lowest Observed Adverse Effect Level | |
| NOAEC | No-Observed Adverse Effect Concentration | |
| NOAEL | No-Observed Adverse Effect Level | |
| NOEC | No-Observed Effect Concentration | |
| OECD | Organisation for Economic Co-operation and Development | |
| OEL | Occupational Exposure Limit | |
| PBT | Persistent Bioaccumulative Toxic | |
| PNEC | Predicted No-Effect Concentration | |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail | |
| SDS | Safety Data Sheet | |
| STP | Sewage treatment plant | |
| ThOD | Theoretical oxygen demand (ThOD) | |
| TLM | Median Tolerance Limit | |
| VOC | Volatile Organic Compounds | |
| CAS-No. | Chemical Abstract Service number | |
| N.O.S. | Not Otherwise Specified | |
| vPvB | Very Persistent and Very Bioaccumulative | |
| ED | Endocrine disrupting properties | |

| Full text of H- and EUH-statements: | |
|-------------------------------------|---|
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 2 | Flammable liquids, Category 2 |
| H225 | Highly flammable liquid and vapour. |

Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

| Full text of H- and EUH-statements: | |
|-------------------------------------|--|
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| STOT SE 3 | Specific target organ toxicity - Single exposure, Category 3, Narcosis |

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU - Biorius - Custom

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.