Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4 Issue date: 21/02/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	
Trade name	
Product code	

: Mixture : SNS E.A. Bond : NAIL-0006

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public		
Use of the substance/mixture	:	Cosmetics
Function or use category	:	Cosmetics

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Signature Nail Systems LLC 4500 Seaboard Rd, Ste. C FL 32808 Orlando USA T +1 888-445-2786

1.4. Emergency telephone number

Emergency number

: T +1 888-445-2786 / Call the local or national emergency service

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]		
Flammable liquids, Category 2	H225	
Serious eye damage/eye irritation, Category 2	H319	
Specific target organ toxicity - Single exposure, Category 3,	H336	

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. May cause drowsiness or dizziness. Causes serious eye irritation.

2.2. Label elements

Narcosis

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

Signal word (CLP) Contains Hazard statements (CLP)

Precautionary statements (CLP)



- : ethyl acetate
- : H225 Highly flammable liquid and vapour.
 - H319 Causes serious eye irritation.
 - H336 May cause drowsiness or dizziness.
- : P102 Keep out of reach of children.
 - P210 Keep away from heat, hot surfaces, open flames, sparks. No smoking. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

	Rinse skin with water/shower.
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P501 - Dispose of contents/container to hazardous or special waste collection point, in
	accordance with local, regional, national and/or international regulation.
EUH-statements	: EUH066 - Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\ge 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethyl acetate substance with national workplace exposure limit(s) (FR); substance with a Community workplace exposure limit	CAS-No.: 141-78-6 EC-No.: 205-500-4 EC Index-No.: 607-022-00-5	75 - 100	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and ef	fects, both acute and delayed
Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after eye contact	: Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.

Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

5.2. Special hazards arising from the substance or mixture		
Fire hazard Hazardous decomposition products in case of fire	Highly flammable liquid and vapour.Toxic fumes may be released.	
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective	equipment and emergency procedures		
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		

public waters.	Avoid release to the environment.	
public waters.	6.3. Methods and material for con	itainment and cleaning up
Other information	Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Uther information : Dispose of materials of solid residues at an authorized site.	Other information	: Dispose of materials or solid residues at an authorized site.

For further information refer to section 13.

6.2. Environmental precautions

SECTION 7: Handling and storage						
7.1. Precautions for safe handling						
Precautions for safe handling	smoking Take pr accumu equipm	vay from heat, hot . Ground/bond cor ecautionary measu late in the contain- ent. Use only outdo ne/gas/mist/vapo	ntainer and rece res against stati er. Use explosio pors or in a well	iving equipmen ic discharge. Fla n-proof equipm -ventilated area	nt. Use only non-s ammable vapours nent. Wear persor a. Avoid breathing	parking tools. may nal protective
Hygiene measures	: Do not e product	eat, drink or smoke	when using this	s product. Alwa	ys wash hands af	ter handling the
7.2. Conditions for safe storage, inclu	ding any incom	atibilities				
Technical measures Storage conditions		bond container an a well-ventilated	0 1	•	er tightly closed.	Store locked
Storage class (LGK, TRGS 510)		Flammable liquids				
Joint storage table	[:] LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A	
	LGK 4.1	B LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B	
	LGK 5.1	C LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C	
	LGK 6.1	D LGK 6.2	LGK 7	LGK 8A	LGK 8B	
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13	

Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

Joint storage not permitted for	: LGK 1, LGK 2A, LGK 4.1A, LGK 4.1B, LGK 4.2, LGK 4.3, LGK 5.1A, LGK 5.1C, LGK 5.2, LGK 6.1B, LGK 6.2, LGK 7
Joint storage with restrictions permitted for Joint storage permitted for	: LGK 5.1B, LGK 6.1D, LGK 11, LGK 10-13 : LGK 2B, LGK 3, LGK 6.1A, LGK 6.1C, LGK 8A, LGK 8B, LGK 10, LGK 12, LGK 13

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

ethyl acetate (141-78-6)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Safe Work Australia - Workplace Exposure Standards For Airborn Contaminant		
IOEL TWA	720 mg/m ³		
	200 ppm		
IOEL STEL	1440 mg/m ³		
	400 ppm		
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164		
France - Occupational Exposure Limits	France - Occupational Exposure Limits		
Local name	Acétate d'éthyle		
VME (OEL TWA)	734 mg/m ³		
	200 ppm		
VLE (OEL C/STEL)	1468 mg/m ³		
	400 ppm		
Remark	Valeurs règlementaires contraignantes		
Regulatory reference	Article R4412-149 du Code du travail (réf.: INRS ED 6443, 2022; Outil65; Décret n° 2019- 1487; Décret n° 2020-1546; Décret n° 2021-434; Décret n° 2021-1849)		
USA - ACGIH - Occupational Exposure Limits			
Local name	Ethyl acetate		
ACGIH OEL TWA	400 ppm		
Remark (ACGIH)	TLV® Basis: URT & eye irr		
Regulatory reference	ACGIH 2024		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.3. Environmental exposure controls

Environmental exposure controls: Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Appearance	: Clear, colorless liquid.
Molecular mass	: 58,08 g/mol
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: 77 °C
Flammability	: Highly flammable liquid and vapour.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: -4 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 73,7 mm Hg
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapour.

Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

SECTION 11: Toxicological information

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
11.1.1. Acute toxicity Acute toxicity (oral) Acute toxicity (dermal)	: Not classified : Not classified	
Acute toxicity (inhalation)	: Not classified	
11.1.2. Skin corrosion/irritation Skin corrosion/irritation	: Not classified	
11.1.3. Serious eye damage/irritation Serious eye damage/irritation	: Causes serious eye irritation.	
11.1.4. Respiratory or skin sensitisation Respiratory or skin sensitisation	: Not classified	
11.1.5. Germ cell mutagenicity		
Germ cell mutagenicity 11.1.6. Carcinogenicity	: Not classified	
Carcinogenicity	: Not classified	
11.1.7. Reproductive toxicity Reproductive toxicity	: Not classified	
11.1.8. STOT-single exposure STOT-single exposure	: May cause drowsiness or dizziness.	
ethyl acetate (141-78-6)		
STOT-single exposure	May cause drowsiness or dizziness.	
11.1.9. STOT-repeated exposure		
STOT-repeated exposure 11.1.10. Aspiration hazard	: Not classified	
Aspiration hazard	: Not classified	
11.2. Information on other hazards		

No additional information available

Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

2.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified
Not rapidly degradable	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
No additional information available	

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instruction
Additional information	: Flammable vapours may accumulate in the container.
HP Code	: HP3 - "Flammable:"
	 flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C; flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air; flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction; flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a
	standard pressure of 101.3 kPa; - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
	 other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
	HP4 - "Irritant - skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID r	humber	1	I	I
UN 1993	UN 1993	UN 1993	UN 1993	UN 1993
14.2. UN proper shippin	g name	1		1
FLAMMABLE LIQUID, N.O.S. (ethyl acetate)	FLAMMABLE LIQUID, N.O.S. (ethyl acetate)	Flammable liquid, n.o.s. (ethyl acetate)	FLAMMABLE LIQUID, N.O.S. (ethyl acetate)	FLAMMABLE LIQUID, N.O.S (ethyl acetate)
Transport document descri	ption	-		-
UN 1993 FLAMMABLE LIQUID, N.O.S. (ethyl acetate), 3, III, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S. (ethyl acetate), 3, III	UN 1993 Flammable liquid, n.o.s. (ethyl acetate), 3, III	UN 1993 FLAMMABLE LIQUID, N.O.S. (ethyl acetate), 3, III	UN 1993 FLAMMABLE LIQUID, N.O.S. (ethyl acetate), 3, III
14.3. Transport hazard	class(es)			
3	3	3	3	3
14.4. Packing group				
III	III	111	III	
14.5. Environmental ha	zards	-		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary informati	on available		I	I
14.6. Special precaution	r for usor			
Overland transport				
Classification code (ADR) pecial provisions (ADR) imited quantities (ADR)	: 5l	4, 601		
Excepted quantities (ADR) Packing instructions (ADR)	: E1 : P0	01, IBC03, LP01, R001		

······································	-	
Portable tank and bulk container instructions	:	T4
(ADR)		
Portable tank and bulk container special provisions	:	TP1, TP29
(ADR)		
Tank code (ADR)	:	LGBF
Vehicle for tank carriage	:	FL
Transport category (ADR)	:	3
Special provisions for carriage - Packages (ADR)	:	V12
Special provisions for carriage - Operation (ADR)	:	S2
Hazard identification number (Kemler No.)	:	30
Orange plates	:	30
		1993
Tunnel restriction code (ADR)	:	D/E
EAC code	:	•3Y

: MP19

Transport by sea

Special provisions (IMDG)	
Limited quantities (IMDG)	

Mixed packing provisions (ADR)

: 223, 274, 955

: 5 L

Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

Excepted quantities (IMDG)	:	E1
Packing instructions (IMDG)	:	LP01, P001
IBC packing instructions (IMDG)	:	IBC03
Tank instructions (IMDG)	:	T4
Tank special provisions (IMDG)	:	TP1, TP29
EmS-No. (Fire)	:	F-E
EmS-No. (Spillage)	:	S-E
Stowage category (IMDG)	:	Α
Air transport		
PCA Excepted quantities (IATA)	:	E1
PCA Limited quantities (IATA)	:	Y344
PCA limited quantity max net quantity (IATA)	:	10L
PCA packing instructions (IATA)	:	355
PCA max net quantity (IATA)	:	60L
CAO packing instructions (IATA)	:	366
CAO max net quantity (IATA)		220L
Special provisions (IATA)	:	A3
ERG code (IATA)	:	3L
Inland waterway transport		
Classification code (ADN)	:	F1
Special provisions (ADN)	:	274, 601
Limited quantities (ADN)	:	5 L
Excepted quantities (ADN)		E1
Carriage permitted (ADN)	:	Т
Equipment required (ADN)	:	PP, EX, A
Ventilation (ADN)	:	VE01
Number of blue cones/lights (ADN)	:	0
Rail transport		
Classification code (RID)		F1
Special provisions (RID)		274, 601
Limited quantities (RID)		5L
Excepted quantities (RID)		E1
Packing instructions (RID)		P001, IBC03, LP01, R001
Mixed packing provisions (RID)		MP19
Portable tank and bulk container instructions (RID)		
Portable tank and bulk container special provisions (RID)	:	TP1, TP29
Tank codes for RID tanks (RID)	:	LGBF
Transport category (RID)	:	3
Special provisions for carriage - Packages (RID)	:	W12
Colis express (express parcels) (RID)	:	CE4
Hazard identification number (RID)	:	30

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases			
Code Description			
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide		

Germany

Employment restrictions	: Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).
Water hazard class (WGK) Hazardous Incident Ordinance (12. BlmSchV)	 WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1). Is not subject to the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
ABM category	: A(4) - low hazard for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed
SZW-lijst van mutagene stoffen	: None of the components are listed
SZW-lijst van reprotoxische stoffen - Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen - Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen - Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product
Switzerland	
Storage class (LK)	: LK 3 - Flammable liquids
15.2. Chemical safety assessment	

No chemical safety assessment has been carried out

Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

SECTION 16: Other information

SECTION 16: Other information			
Abbreviations ar	Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
EN	European Standard		
IARC	International Agency for Research on Cancer		
ΙΑΤΑ	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
OEL	Occupational Exposure Limit		
РВТ	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
ThOD	Theoretical oxygen demand (ThOD)		
TLM	Median Tolerance Limit		
VOC	Volatile Organic Compounds		
CAS-No.	Chemical Abstract Service number		
N.O.S.	Not Otherwise Specified		
vPvB	Very Persistent and Very Bioaccumulative		
ED	Endocrine disrupting properties		

Safety Data Sheet

according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Rev. V10 (2023), Appendix 4

Full text of H- and EUH-statements:		
EUH066	Repeated exposure may cause skin dryness or cracking.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
STOT SE 3	Specific target organ toxicity - Single exposure, Category 3, Narcosis	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU - Biorius - Custom

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.