

MATERIAL SAFETY DATA SHEET

NAIL LACQUER

To be kept in salon at all times

4424 Seaboard Rd, Ste C Orlando, Florida 32808

Phone: 888-445-2786 Fax: 407-704-6014



MATERIAL SAFETY DATA SHEET

Date Issued: 01/01/2017 MSDS No: SN00101 Date-Revised: 02/10/2017

Revision No: 1

1. SUBSTANCE/PREPARATION AND COMPANY IDENTIFICATION

PRODUCT NAME: NAIL POLISH
COLOUR: MULTICOLORED
PRODUCT TYPE: COSMETIC

2. COMPOSITION/INFORMATION ON INGREDIENTS

INCI NAME	CAS NO.	CONTENT (%W/W)
ETHYL ACETATE	141-78-6	30-40
BUTYL ACETATE	123-86-4	30-40
NITROCELLULOSE	9004-70-0	5-10
P.A.T.A.G.C		5-10
ISOPROPYL ALCOHOL	67-63-0	2-5
STEARALKONIUM HECTORITE	94891-33-5	2-5
BENZOPHENONE-1	131-56-6	0-1
MAY CONAIN (PIGMENT)	/	0-3

THIS PRODUCT IS NOT RESPIRABLE.

3. HAZARDS IDENTIFICATION

FLAMMABLE LIQUID

ROUTES OF ENTRY:

INHALATION - IRRITATION, NAUSEA, HEADACHE AND VOMITING.

INGESTION - IRRITATION, NAUSEA, HEADACHE AND VOMITING.

SKIN CONTACT - IRRITATION.

EYE CONTACT - IRRITATION, CORNEAL CLOUDING.

CARCINOGENIC: IARC - NO,NTP - NO, OSHA - NO

4. FIRST AID

INHALATION- REMOVE VICTIM TO FRESH AIR.

INGESTION- DO NOT INDUCE VOMITING. CONTACT PHYSICIAN IMMEDIATELY.

SKIN CONTACT: WASH AFFECTED AREA WITH SOAP AND WATER.

EYE CONTACT: FLUSH AFFECTED EYES WITH COPIOUS AMOUNTS OF WATER.

CONTACT PHYSICIAN IMMEDIATELY.



MATERIAL SAFETY DATA SHEET

Date Issued: 01/01/2017 MSDS No: SN00101 Date-Revised: 02/10/2017

Revision No: 1

5. FIRE-FIGHTING MEASURES

FLAMMABLE LIQUID

EXTINGUISHING MEDIA: WATER, CARBON DIOXIDE, FOAM.

SPECIAL FIRE-FIGHTING PROCEDURES OR EQUIPMENT: NONE.

HAZARDOUS COMUSTION PRODUCTS: NONE.

UNUSUAL FIRE/EXPLOSIONS HAZARDS: NONE KNOWN.

6. ACCIDENTAL RELEASE MEASURES

PICK UP AND PLACE IN APPROPRIATE CONTAINER.

7. HANDLING AND STORAGE

DO NOT INGEST THIS MATERIAL OR HAVE IT IN CONTACT WITH THE EYES.

STORE PRODUCT AWAY FROM HEAT.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

BECAUSE OF THE SMALL VOLUME OF MATERIAL, NONE REQUIRED.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/STATE: MULTICOLORED LIQUID

ODOR: STRONG SOLVENT, CHARACTERISTIC.

COLOUR: MULTICOLORED.

SOLUBILITY (WATER): INSOLUBLE.

SOLUBILITY (ORGANICS): COMPLETELY SOLUBLE (KETONES, ESTERS...)

FLASH POINT: 21°C

PH: NOT AVAIABLE

BOILING PT: NOT AVAIABLE

10. STABILITY AND REACTIVITY

THIS PRODUCT IS STABLE AND NON-REACTIVE WITH MOST MATERIALS.



MATERIAL SAFETY DATA SHEET

Date Issued: 01/01/2017 MSDS No: SN00101 Date-Revised: 02/10/2017

Revision No: 1

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: THIS PRODUCT IS NOT EXPECTED TO BE TOXIC VIA INHALATION AND ORAL EXPOSURE OR IRRITATING TO THE SKIN AND EYES. ETHYL ACETATE IS AN IRRITANT AND MILDLY NARCOTIC. MAY CAUSE CORNEAL CLOUDING, DERMATITIS AND CONGESTION OF THE LIVER AND KIDNEYS. BUTYL ACETATE IS AN IRRITANT AND MILDLY NARCOTIC. THE ALCOHOL MAY CAUSE IRRITATION AND DERMATITIS. CHRONIC TOXICITY: CHRONIC TOXICITY EFFECTS FROM THIS MATERIAL INCLUDE DAMAGE TO THE LIVER AND KIDNEYS.

12. ECOLOGICAL INFORMATION

BECAUSE OF THE SMALL VOLUME OF MATERIAL, THIS PRODUCT IS NOT EXPECTED TO CAUSE ANY SIGNIFICANT ADVERSE EFFECTS ON THE ENVIROMENT WHEN IT IS USED AS INTENDED AND/OR PROPERLY DISPOSED OF. COMPONENTS OF THIS MATERIAL ARE NOT BIOMAGNIFIED OR BIOCONCENTRATED IN THE ENVIROMENT.

13. DISPOSAL CONSIDERATIONS

BECAUSE OF THE SMALL VOLUME OF MATERIAL, THIS PRODUCT MAY BE DISPOSED OF IN A MUNICIPAL LANDFILL.

14. DISPOSAL CONSIDERATIONS

SHIPPING NAME: PAINT

UN NUMBER: 1263

PACKING GROUP: II

HAZARD CLASS: 3

PACKING INST: 561

15. REGULATORY INFORMATION

THE REGULATORY INFORMATION INCLUDED HERE SHOULD NOT NECESSARILY BE CONSIDERED ALL INCLUSIVE.

SOME OF THE INGREDIENTS IN THIS PRODUCT IS SUBJECT TO THE REPORTING REQUIREMENTS OF THE COMPREHENSIVE ENVIROMENTAL RESPONSE COMPENSATION LIABILITY ACT HAZARDOUS SUBSTANCE LIST OR THE CLEAN AIR ACT OR THE CLEAN WATER ACT (US). THIS MATERIAL IS NOT FORMULATED WITH, NOR DO THE MANUFACTURING OR FORMULATION PROCESSES UTILIZE ANY CLASS I OR CLASS II OZONE DEPLETING SUBSTANCES.



MATERIAL SAFETY DATA SHEET

Date Issued: 01/01/2017 MSDS No: SN00101 Date-Revised: 02/10/2017

Revision No: 1

16. OTHER INFORMATION

THE RECOMMENDATIONS AND INFORMATION CONTAINED IN THIS MSDS HAVE BEEN COMPILED FROM SOURCES BELIEVED TO REPRESENT THE MOST REASONABLE CURRENT OPINION ON THE SUBJECT WHEN THE MSDS WAS PREPARED. HOWEVER, NEITHER THE MANUFACTURER NOR THE DISTRIBUTOR OF THIS PRODUCT PROVIDES ANY WARRANTY, GUARANTY OR REPRESENTATION AS TO THE CORRECTNESS OR SUFFICIENCY OF THIS INFORMATION. IF THIS PRODUCT IS TO BE USED IN LARGE AMOUNTS AND/OR AN UNUSUAL MANNER, THE USER IS OBLIGATED TO DETERMINE WHAT SAFETY MEASURES ARE APPROPRIATE, INCLUDING THE APPLICABLE AND RELEVANT WORKPLACE AND ENVIROMENTAL REGULATIONS PERTAINING TO HANDLING, USE AND DISPOSAL.

TEXT:

ACGIH= AMERICAN CONFERENCE OF GOVERNAMENTAL INDUSTRIAL HYGIENISTS

CASRN= CHEMICAL ABSTRACTS SERVICES REGISTRATION NUMBER

CFR= CODE OF FEDERAL REGULATIONS (US)

IARC= INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

MPPCF= MILLIONS OF PARTICLES PER CUBIC FOOT

NFPA = NATIONAL FIRE PROTECTION ASSOCIATION (US)

NPCA/HMIS= NATIONAL PAINT AND COATINGS ASSOCIATION'S / HAZARDOUS MATERIALS INFORMATION SUSTEM (US)

NTP= NATIONAL TOXICOLOGY PROGRAM (US)

OSHA= OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (US)

PEL= PERMISSIBLE EXPOSURE LIMIT

TLV= THRESHOLD LIMIT VALUE

END OF REPORT